Solrif dummy module

Perfect match. Flexible applicable.



WHOLE ROOF SOLUTION

The perfect complement to our Solrif modules for seamless roofing.



FLEXIBLE APPLICATION

Ideal for hipped roofs as for roofs with chimneys and/or dormers.

AESTHETIC

For a full roof covering with a homogeneous appearance.

HANDLING Simple handling and can be cut to size easily.

MADE IN GERMANY

Right here. In Prenzlau. In our production facility. Here we manufacture under the aspects of quality & durability since 2001.



Manana and a second s

Internet

BASIC DATA BLIND MODULE	BM-S84	BM-582
length x width x height [mm] (grid dimension)	1169 x 1795 x 17 (1137 x 1777)	1169 x 1607 x 17 (1137 x 1589)
weight [kg]	22	18
basic plate	3 mm aluminium (EN AW 5005 / AlMg1)	
dummy module colour	RAL 9005 HWF black, lacquered	
frame material	Al alloy, RAL 9005 black, powder-coated	

www.aleo-solar.com

Processing the dummy modules for the construction site:

The dummy modules are cut to size on the construction site, e.g. with a angle grinder or hand-held circular saw.

Cutting:

Cut the dummy module to size.

Finishing the open edge:

- The water drainage under the dummy module must be solved by sheeting.
- If necessary, further measures are required to improve the rainproofing.

Recommended tool:

- Angle grinder or hand-held circular saw with guide.
- Anvil shears for cutting sand profile.
- Rubber mallet.

PROCESSING INFORMATION:

To avoid scratches or damage on the frontside (fully black lacquered), cut the dummy module with the cutting tool (saw or similar) on the backside of the dummy module (side not lacquered).





Clip-on steel strip to finish the cut edge








Oder code: MS.21868 (PU 5 m)

Cross section edge protection profile EPDM

Please also refer to the Factsheet dummy modules for BIPV roof system Solrif® under: www.ernstschweizer.ch



ALEO SOLAR GMBH

Marius-Eriksen-Straße 1 17291 PRENZLAU GERMANY

CONTACT +49 3984-8328-0 info@aleo-solar.com www.aleo-solar.com

PLEASE CONTACT YOUR AUTHORISED ALEO DEALER

aleo

©aleo solar GmbH 04/2024

The statutory warranty of 2 years applies I Subject to change without notice | Errors and omissions excepted | EN | Solrif dummy module