

PRODUCT COMPARE

 Show differences only

[ADD TO COMPARE +](#)


TRB140 ✕



RUT240 ✕



RUT950 ✕

TECHNOLOGY

4G (LTE) <small>i</small>	Cat 4	Cat 4	Cat 4
3G <small>i</small>	✓	✓	✓
2G <small>i</small>	✓	✓	✓
WiFi <small>i</small>	-	2.4 GHz (b/g/n)	2.4 GHz (b/g/n)
Ethernet <small>i</small>	10/100/1000	10/100	10/100
SMS <small>i</small>	✓	✓	✓

HARDWARE

RAM	128 MBytes	64 MB	128 MB
Flash memory	512 MBytes	16 MB	16 MB
Ethernet ports	1	2	4
Passive PoE	✓	✓	✓
Inputs/Outputs	2	2	2
Dimensions, L x W x H	64.4 x 74.5 x 25 mm	74 x 83 x 25 mm	100 x 110 x 50 mm
eSIM <small>i</small>	-	-	Optional
USB <small>i</small>	✓(Slave mode)	-	-
1x Power LED <small>i</small>	✓	-	-

CONTACT
US

[ADD TO COMPARE +](#)
TRB140 ✕

RUT240 ✕

RUT950 ✕

Mobile antenna	1x SMA	2x SMA	2x SMA
WiFi antenna	-	1x RP-SMA	2x RP-SMA
SIM card slots	1x 2FF	1x 2FF	2x 2FF
Operating temperature	-40 °C to 75 °C	-40 °C to 75 °C	-40 °C to 75 °C
Power consumption	< 0.5W idle, < 3W Max	< 2W idle, < 5W Max	< 2W idle, < 7W Max
Mounting options	DIN Rail	DIN Rail, Surface	DIN Rail, Surface
Housing material	Aluminium	Aluminium/plastic	Aluminium/plastic
CPU	1.2 GHz	400 MHz	550 MHz
Power socket	4 pin	4 pin	4 pin
Supply voltage	9 - 30 VDC	9 - 30 VDC	9 - 30 VDC
Inputs	up to 2	-	-
Outputs	up to 2	-	-

FIRMWARE

Modbus TCP	✓	✓	✓
Input events	✓	✓	Planned
SSTP	-	-	✓
Wake on LAN (WOL)	Planned	Planned	✓
Manual Band Lock	Planned	Planned	✓
Stunnel	-	✓	✓
MQTT Gateway	✓	-	-
Management via SMS	✓	✓	✓
Bridge mode	Planned	✓	✓
Manual operator selection	Planned	✓	✓
Static routes	✓	✓	✓

[ADD TO COMPARE +](#)
TRB140 ✕

RUT240 ✕

RUT950 ✕

PPPoE	-	✓	✓
NTP	Client	Client/Server	Client/Server
Wireless Hotspot	-	✓	✓
Wireless Client	-	✓	✓
Wireless AP	-	✓	✓
Ping reboot	✓	✓	✓
Periodic reboot	✓	✓	✓
Real-time graphs	-	✓	✓
WAN Failover	-	✓	✓
Mobile Traffic Counter	Planned	✓	✓
Connection status overview bar	✓	✓	✓
Configuration backup/restore	✓	✓	✓
VRRP	-	✓	✓
IPsec	✓	✓	✓
GRE Tunnel	✓	✓	✓
OpenVPN	✓	✓	✓
PPTP	✓	✓	✓
L2TP	✓	✓	✓
SNMP	Planned	✓	✓
SNMP Trap	Planned	✓	✓
Send/receive SMS	✓	✓	✓
Web Filter	-	✓	✓
Mobile Data on Demand	-	✓	✓
Mobile Data Limit	Planned	✓	✓

[ADD TO COMPARE +](#)
TRB140 ✕

RUT240 ✕

RUT950 ✕

Configuration Profiles <small>i</small>	✓	✓	✓
Profile scheduler	✓	Planned	Planned
Event logging <small>i</small>	Planned	✓	✓
QoS <small>i</small>	-	✓	✓
Restore Point <small>i</small>	-	-	✓
Call Utilities <small>i</small>	✓	✓	✓
SIM switch <small>i</small>	-	-	✓
FOTA (Firmware Over The Air) <small>i</small>	✓	✓	✓
Event reporting (via Email/SMS) <small>i</small>	Planned	Planned	✓
Disable Roaming <small>i</small>	✓	✓	✓
SMS Gateway <small>i</small>	-	✓	✓
OSPF <small>i</small>	-	✓	✓
Access control safety <small>i</small>	✓	✓	✓
SIM Idle Protection <small>i</small>	-	-	✓
VLAN <small>i</small>	-	✓	✓
CLI <small>i</small>	✓	✓	✓
Firewall <small>i</small>	✓	✓	✓
IP/MAC filter <small>i</small>	✓	✓	✓
TR-069 <small>i</small>	Planned	Planned	✓
Mosquitto (MQTT)	Broker/Publisher	Broker/Publisher	Broker/Publisher
DHCP server <small>i</small>	✓	✓	✓
Dynamic DNS <small>i</small>	✓	✓	✓
RMS support <small>i</small>	✓	✓	✓

[CONTACT US](#)

PRODUCTS

- MODEMS
- GATEWAYS
- ROUTERS
- SWITCHES
- IoT PLATFORMS
- ACCESSORIES
- CUSTOM PRODUCT

INDUSTRIES

- INDUSTRIAL & AUTOMATION
- ENERGY & UTILITIES
- SMART CITY
- TRANSPORTATION
- ENTERPRISE
- RETAIL
- ALL USE CASES

SUPPORT

- WIKI KNOWLEDGE BASE
- CROWD SUPPORT FORUM
- VULNERABILITY REPORTS
- WARRANTY & REPAIR
- GPL CODE CENTER
- EOL POLICY

RESOURCES

- WEBINARS
- VIDEOS
- ARTICLES
- NEWSLETTER
- SHARE YOUR SOLUTION

ABOUT US

- WHO WE ARE
- MISSION, VISION & VALUES
- NEWS
- COVID-19 RESPONSE
- NETWORKS IoT ACADEMY
- POLICIES & CERTIFICATES
- CAREER
- CONTACTS

[PRIVACY](#) | [ALL POLICIES](#) | [SITMAP](#)

COPYRIGHT © 2021, TELTONIKA NETWORKS

NEWSLETTER

CONNECT



CONTACT
US